# **EAST Search History**

Def	Lika	Convolt Overs	DDe	Deferrit	DI	Time Channel
Ref #	. Hits	Search Query	DBs	Default Operat or	Plura Is	Time Stamp
L1	0	"20021944325"	US-PGPU B;	OR	OFF	2006/03/27 11:55
			USPAT;	·		11.55
			EPO; DERWEN			
	;		Т			
L2	0	"200201944325"	US-PGPU B;	OR	OFF	2006/03/27 11:55
			USPAT;			11.55
			EPO; DERWEN			
1 to			Т		-	
L3	2	"20020194325"	US-PGPU B;	OR	OFF	2006/03/27 11:58
			USPAT;			11.38
- 20			EPO; DERWEN		y	
			T			
L4	2	"20020194325"	US-PGPU	OR	OFF	2006/03/27 11:59
			B; USPAT;			11.59
			EPO; DERWEN			
			T			
L5	2	"20030163478"	US-PGPU	OR	OFF	2006/03/27
* 1			B; USPAT;			12:53
			EPO; DERWEN		÷	
			T			
L6	8999	(minimum with time) and	US-PGPU	OR	OFF	2006/03/27
		(maximum with time) and (average with time)	B; USPAT;	-		13:00
			EPO; DERWEN			·
			T			

# **EAST Search History**

	ı		-			
L7	2537	l6 and estimate	US-PGPU B; USPAT; EPO; DERWEN T	OR	OFF	2006/03/27 12:54
L8	1828	I7 and transmit\$	US-PGPU B; USPAT; EPO; DERWEN T	OR	OFF	2006/03/27 12:54
L9	161	"I9" and (transmit\$ with network)	US-PGPU B; USPAT; EPO; DERWEN T	OR	OFF	2006/03/27 12:55
L10	. 5	19 and estimates	US-PGPU	OR	OFF	2006/03/27
			B; USPAT; EPO; DERWEN T			12:55
L11	7	l6 and "progress bar"	US-PGPU B; USPAT; EPO; DERWEN T	OR	OFF	2006/03/27 13:03
L12	254	l6 and download and progress	US-PGPU B; USPAT; EPO; DERWEN T	OR	OFF	2006/03/27 13:05
L13	2	I12 and (estimate with completion)	US-PGPU B; USPAT; EPO; DERWEN T	OR	OFF	2006/03/27 13:06

# **EAST Search History**

L14	125	I12 and estimat\$ and completion	US-PGPU B; USPAT; EPO; DERWEN T	OR	OFF	2006/03/27 13:06
L15	214	I12 and e(stimat\$ near completion)	US-PGPU B; USPAT; EPO; DERWEN T	OR	OFF	2006/03/27 13:07
L16	1	l12 and (estimat\$ near completion)	US-PGPU B; USPAT; EPO; DERWEN T	OR ·	OFF	2006/03/27 13:12
L17	0	"minimum, maximum, and average time estimates"	US-PGPU B; USPAT; EPO; DERWEN T	OR	OFF	2006/03/27 13:13
L18	6	minimum with maximum with average with time with estimates	US-PGPU B; USPAT; EPO; DERWEN T	OR	OFF	2006/03/27 13:13



2002

Scholar Results 1 - 10 of about 42 for minimum maximum average time "progress bar" (0.28 seconds)

Customizable Physical Interfaces for Interacting with Conventional Applications - group of 9 »

S Greenberg, M Boyle - CHI Letters, 2002 - portal.acm.org

... consume desk space, different ones take time to learn ... With phidgets, an average programmer with no hardware ... a single value in a minimum/maximum bounded range. ... Cited by 13 - Web Search

### YASAI: Yet Another Add-in for Teaching Elementary Monte Carlo Simulation in Excel - group of 5.»

J Eckstein, ST Riedmueller, J Wiley, I Sons - INFORMS Transactions on Education, 2002 - ite.pubs.informs.org ... contains the mean, standard deviation, minimum, maximum, and percentiles ... approximately 913/1000 = 91.3% of the time. The average number of orders lost per day ... Cited by 4 - Cached - Web Search

#### Spatial audio in small screen device displays - group of 3 »

A Walker, S Brewster - Personal Technologies, 2000 - Springer

... 1Here sensitivity was measured as A', the average of the maximum and minimum probability associated with a particular outcome [27]. ... Cited by 15 - Web Search - BL Direct

# Brewsing the Web: Delay, Determination and Satisfaction - group of 6 »

F Culwin, X Faulkner - PROCEEDINGS OF THE ANNUAL HAWAII INTERNATIONAL CONFERENCE ON .... 2001 - ieeexplore.ieee.org

... Websites in 1999 and found that average downloading times ... 2 seconds that is double the recommended minimum delay for ... Again, the maximum delay is well below the ... Web Search - BL Direct

#### Progress-based regulation of low-importance processes - group of 6 »

JR Douceur, WJ Bolosky - SOSP, 1999 - portal.acm.org

... Thus, the average tends to converge to the rate of ... this problem, MS Manners limits the maximum execution rate ... is negatively related to m, the minimum number of ... Cited by 27 - Web Search - BL Direct

#### Search by humming

SG Blackburn - Bsc in computer science, University of Southampton, ..., 1997 - ecs.soton.ac.uk ... The distance limit and time limit for the run is given on the ... number of contours tested is returned, along with the minimum, maximum and average near match ... Cached - Web Search

#### Writing ImageJ Plugins—A Tutorial - group of 9 »

W Bailer - Writing ImageJ PlugIns-A Tutorial. Fachhochschule ..., 2002 - mars.f4.fntw-berlin.de ... 5.2 ImageJ Window, Status Bar and Progress Bar . ... It is multithreaded, so time-consuming operations such as image file reading can be performed in parallel with ... Cited by 3 - View as HTML - Web Search

### Parallel Discrete Event Simulation of a Packet-Switched Network Using a Variation of the Null <u>...</u> - <u>group of 2 »</u>

D Rohan - 2002 - maths.tcd.ie

... discipline is First Come First Served K Maximum size of ... Denote the average arrival

rate of packets to the node by ... than K packets in the system at any one time ... View as HTML - Web Search

EPILEPTIC SEIZURE FOREWARNING BY NONLINEAR TECHNIQUES - group of 6 »

LM Hively, NE Clapp, VA Protopopescu, J Joseph, CE ... - Oak Ridge National Lab., Oak Ridge, TN, ORNL/TM-2000/333, ..., 2000 - cesar.ornl.gov

... Please contact NBI. 2. \*Determine the **maximum** (x max) and **minimum** (x min) in the artifact ... 3. Compute the **average** number of **time** steps per cycle (T ... Cited by 2 - View as HTML - Web Search

CONTROL SYSTEM APPLICATION LOOK AND FEEL GUIDELINES - group of 4 »

M Kadunc, J Kamenik, I Križnar, G Pajor, M ... - 2002 - cosylab.com ... could have a simple mode showing only the number, or an extended mode which would also display the **maximum** an **minimum** values, units, **average** etc. ... Cited by 1 - View as HTML - Web Search

Goooogle ▶

Result Page: 1 2 3 4 5 Next

minimum maximum average time "p Search

Google Home - About Google - About Google Scholar



2002

Search

# Scholar Results 11 - 20 of about 42 for minimum maximum average time "progress bar". (0.08 seconds)

#### A Tool for Measuring Progress of Backtrack-Search Solvers - group of 4 »

FA Aloul, BD Sierawski, KA Sakallah - Symposium on the Theory and Applications of Satisfiability ..., 2002 eecs.umich.edu

... They describe a progress bar that can be integrat- ed into a backtrack SAT ... with an accuracy of 80-90% without significantly impacting the solver's run time. ... View as HTML - Web Search

# Ambient touch: designing tactile interfaces for handheld devices - group of 4 »

I Poupyrev, S Maruyama, J Rekimoto - ACM UIST, 2002 - portal.acm.org

... Hence, we can approximate the minimum required latency of a ... the peak current may be large, the average current is ... on the signal frequency and maximum voltage. ... Cited by 32 - Web Search

#### A first approach to design web sites by using patterns

F Montero, M Lozano, P González, I Ramos - Proceedings of the First Nordic Conference On Pattern ..., 2002 dc.ufscar.br

... viewing of this site, I recommend a minimum of 640 ... not use blink or marquee elements, limit maximum page size ... frames, people will have a hard time finding your ... Cited by 2 - View as HTML - Web Search

#### Advanced features of program MARK - group of 3 »

GC White, KP Burnham, DR Anderson - Wildlife, land, and people: priorities for the 21st century. ..., 2001 cnr.colostate.edu

... McCullagh and Nelder 1989), where the maximum possible log ... Model averaging entails a weighted average of the estimates ... value for model i and the minimum AIC c ... Cited by 24 - View as HTML - Web Search

#### Supporting the CANCEL Command Through Software Architecture - group of 5 »

L Bass, BE John - 2002 - sei.cmu.edu

... At a minimum, the type of feedback depends on ... ection of information is estimated to average 1 hour ... ABSTRACT ( MAXIMUM 200 WORDS ) A system that supports the ... Cited by 3 - Web Search - Library Search

# STUDY OF A GROUND PENETRATING RADAR SYSTEM BY FINITE

DTDSOF AN - 1997 - ece.sdsmt.edu

... that the **time** steps ( $\Delta t$ ) must be small enough to allow a wave to propagate within the same cell or to only one of the adjacent cells. The maximum  $\Delta t$  for ... View as HTML - Web Search

# <u>Drawing Graphs to Convey Proximity: An Incremental Arrangement Method</u> - group of 3 »

JD Cohen - ACM Transactions on Computer-Human Interaction, 1997 - portal acm.org ... achieve a good arrangement in a short time: another cause ... path when the surface around the minimum is not ... graph displayed in Figure 2(a). Maximum stable gains ... Cited by 38 - Web Search - BL Direct

#### Program NOREMARK Software Reference Manual - group of 4 »

GC White - Colorado State University, Fort Collins, 1996 - biology.uark.edu ... 1993), the joint hypergeometric maximum likelihood estimator extended to incorporate animals ... marked (telemetered) animals in the population at the time of the ...

Cited by 5 - View as HTML - Web Search

Vampir 2.0 - group of 11 »

P GmbH - User's Manual, Germany, 1998 - caspur.it

... 2.8 Statistics Window - Maximum Hidden ... While analyzing the tracefile a progress bar shows the percentage ... each process over the complete period of time in one ... View as HTML - Web Search

Distributed Speech Processing in MiPad's Multimodal User Interface - group of 4 » L Deng, K Wang, A Acero, HW Hon, J Droppo, C ... - IEEE TRANSACTIONS ON SPEECH AND AUDIO PROCESSING, 2002 - ieeexplore.ieee.org

... any new acoustic envi- ronment with minimum additional resources ... can be trained using the maximum likelihood criterion ... the Aurora2 data with an average SNR = 10 ... Cited by 8 - Web Search - BL Direct

■ Gooooogle ▶

Result Page: Previous 1 2 3 4 5

minimum maximum average time "pi

Google Home - About Google - About Google Scholar



2002

Scholar Results 21 - 30 of about 42 for minimum maximum average time "progress bar". (0.14 seconds)

#### COMPUTER CONTROL FOR PRECISION BEARING ANALYSIS - group of 3 »

VC Vigliano - 2001 - me.psu.edu

... Figure 3.6 Screen capture showing gray triangle that represents the maximum peak of the ... to fatique over a period of time or spontaneously due to high ... minimum ... Cited by 4 - View as HTML - Web Search

### Design and Implementation of BiosignalMonitoring and Analysis Software

K Sikiö - 1999 - hut.fi

... be recorded into the computer's memory at any time for further ... Minimum computer requirements ... Maximum input signal level is 8 Vp-p. Signal frequency band is ... View as HTML - Web Search

#### A software-based system for listening tests

M Karjalainen - 2001 - acoustics.hut.fi

... next operation. The data entry is a tedious and boring job and can be very time-consuming. Errors ... Amount of data. • Average or maximum bit-rate. ... View as HTML - Web Search

#### SKED: A Course Scheduling and Advising Software - group of 4 »

R Mihali, T Sobh, D Vamoser - 2001 ASEE Annual Conference & Exposition: Peppers, Papers, ..., 2001 doi.wiley.com

... schedule of 8 semesters at an average of 18A19 ... The execution time was reduced significantly and the algorithm ... are being omitted through the Maximum Number of ... Web Search - BL Direct

#### воом Rapid Prototyping Technology - group of 2 »

KG Cooper - 2001 - books.google.com

... And, ifyou are only considering buy- ing this book, or at least took the time to pick it up and read the preface, hey, thank you, too! ... 18.10 Cost and Time 179 ... Cited by 10 - Web Search

#### IMPLEMENTATION OF A WIRELESS/MOBILE VIDEO DELIVERY SYSTEM

K BIRKETT - 2001 - purl.fcla.edu

... desirable when attempting to achieve maximum compression ... At the current time, an average desktop system contains a 1.0 ... minimum amount of data must be transmitted ... View as HTML - Web Search

#### Interactive browsing of 3D environment over the Internet - group of 5 »

C Zhang, J Li - Proceedings SPIE Visual Communications and Image Processing ..., 2001 - amp.ece.cmu.edu ... media unit (SMU), which is the minimum size for ... a media segment larger than the maximum transmission unit ... The average number of frames rendered per second is ... Cited by 7 - View as HTML - Web Search

#### LIBRARY FOR ORGANIZATION OF IMAGE RECOGNITION SYSTEMS

O SHYROKOV - 2002 - ece.unh.edu

... Richard Messner, for his time and effort ... OF THE MAXIMUM DISTANCE .....36 ... View as HTML - Web Search

# Early Component-Based Reliability Assessment using UML Based Software Models


B Cukic - 2002 - kitkat.wvu.edu

... It handles both execution and calendar **time**. ... The tool provides **Maximum** Likelihood Estimation and Risk Regression methods to produce Reliability Growth Plots ... View as HTML - Web Search

#### [BOOK] LabVIEW advanced programming techniques

R Bitter, T Mohiuddin, M Nawrocki - 2001 - books.google.com

... 8.2 **Progress Bar** Control ... VI, or subroutine, that takes the number of measurements per **average** as input ... Every **time** achange is made to a VI, LabVIEW constructs a ... Cited by 8 - Web Search - Library Search



Result Page: Previous 1 2 3 4 5 Next

minimum maximum average time "p

Google Home - About Google - About Google Scholar



2002

Scholar Results 31 - 40 of about 42 for minimum maximum average time "progress bar". (0.10 seconds)

# INTERNET-BASED DISTRIBUTED COLLABORATIVE ENVIRONMENT FOR ENGINEERING EDUCATION AND DESIGN - group of 3 »

Q Sun, K Gramoll - 2001 - eml.ou.edu

... 7 Guaranteed Real-time Delivery ... 6.5.10 Progress

Bar..... 161 ... that the maximum processor speed ...

Cited by 3 - View as HTML - Web Search

#### A Tool for Statistical Detection of Faults in Internet Protocol Networks - group of 3 »

J Roberts, S Fouche, J Purtilo - 2002 - drum.umd.edu

... logo and name along with a progress bar that indicates the ... The time length of the sampling period, in seconds ... cycles of the buckets to average when establishing ... View as HTML - Web Search

#### **GRADUATE COLLEGE**

AMATO COLLABORATIVE - 1999 - eml.ou.edu

... The ease of visual programming allows more time to be devoted to developing the content. Another reason for choosing ... As the average modem speed for common user ... View as HTML - Web Search

# Supporting the development of electrophysiologically interactive computer systems

J Allanson - 2000 - comp.lancs.ac.uk.

... 152 Figure 6.6 Using the Progress Bar's Customizer to set the physiological signal identifier ... At the present time each developer wishing to build an ... Cited by 4 - View as HTML - Web Search.

# EEG-Based Human Interface for Disabled Individuals: Emotion Expression with Neural Networks - group of 2 »

A Choppin - 2000 - membres.lycos.fr

... 2.2 Psychological views of emotion Emotion is very broad concept and it is now time to look at how one can precise what is meant in the context of this study. ... Cited by 1 - View as HTML - Web Search

#### Auditory Direct Manipulation for Blind Computer Users - group of 3 »

F Winberg - Licentiate thesis, Royal Institute of Technology, Stockholm, ..., 2001 - hku.nl ... John Bowers, my assistant supervisor, for the time spent on discussing really heavy concepts that I still do not think I fully understand. ... Cited by 1 - View as HTML - Web Search

# [воок] Designing from Both Sides of the Screen: How Designers and Engineers Can Collaborate to Build ...

E Isaacs, A Walendowski - 2002 - books.google.com

... Signs of Progress 46 Keep Preferences to a Minimum: Give Smart ... thank him for giving us the time and freedom ... the point of view of the average, nontechnical user. ... Cited by 4 - Web Search - Library Search

#### A Swarming Approach to Terrain Mapping

G Ruben - 1998 - users.bigpond.net.au

... ensures that some time persistent task is being achieved or a dynamic equilibrium ...

Following aims to reach and maintain a **minimum** angle between the position of ... <u>View as HTML</u> - <u>Web Search</u>

#### SKETCHING SPATIAL QUERIES - group of 2 »

AD Blaser - 2000 - spatial maine edu ... time during our stay in the New World ... 147 7.1.3 Adjusted Average and Standard Deviation..... 148 ... Cited by 15 - Web Search

Text/Graphics and Image Transmission over Bandlimited Lossy Links - group of 3 »

JM Gilbert - 2000 - cs.columbia.edu
Page 1 Text / Graphics and Image

Page 1. Text / Graphics and Image Transmission over Bandlimited Lossy Links by Jeffrey Michael Gilbert BA (Harvard University) 1993 M.Phil. ... View as HTML - Web Search - Library Search

■ Gooooogle ▶

Result Page: Previous 1 2 3 4 5 Next

minimum maximum average time "pl Search

Google Home - About Google - About Google Scholar



30

2002 Search

Adv Sct

**Scholar** 

Results 41 - 42 of 42 for minimum maximum average time "progress bar". (0.02 seconds)

[воок] Patterns of Enterprise Application Architecture - group of 2 »

M Fowler... - 2002 - books.google.com

... the dotted line: sending out bills, handling someone upgrading one of the assets on the lease, chasing people who don't pay their bills on **time**, and figuring ... <u>Cited by 155</u> - Web Search - <u>Library Search</u>

#### <sub>[Воок]</sub> Inside Windows 2000 Server

W Boswell - 1999 - books.google.com

... started back before the initial beta of Windows 2000. I consider myself incredibly fortunate to have worked with a great team during that **time**. ... right **time**. ... Cited by 3 - Web Search - Library Search

■ Goooogle

Result Page: Previous 1 2 3 4 5

minimum maximum average time "pl

Search

Google Home - About Google - About Google Scholar